ELSEVIER

Fluid Phase Equilibria 135 (1997) 291–292

FLUID PHASE EQUILIBRIA

Contents of Volume 135 (1997)

Vol. 135, No. 1

Equilibrium properties: Theoretical papers

Thermodynamics of mixtures containing linear monocarboxylic acids. II. Binary systems showing cross-association between components: DISQUAC characterization of linear monocarboxylic acid + 1-alkanol, or + linear monocarboxylic acid mixtures
J.A. González, I. García De La Fuente and J.C. Cobos (Valladolid, Spain) 1–21

Thermodynamic properties of unsymmetrical sticky electrolytes with overlap between ions from Ornstein–Zernike equation
J. Jiang, H. Liu and Y. Hu (Shanghai, China) 23–34

Effect of quadrupole moment on excess properties of binary 2CLJQ mixtures from molecular dynamics simulation: model and real mixtures
K. Fotouh and K. Shukla (Prairie View, TX, USA) 35–50

Equilibrium properties: Experimental papers

Vapour–liquid equilibria. XI. The quaternary system cyclohexane + hexane + acetone + methanol at 313.15 K
M. Góral, P. Oracz and S. Warycha (Warsaw, Poland) 51–61

Vapour–liquid equilibrium data for synthetic hydrocarbon mixtures. Application to modelling of migration from source to reservoir rocks
S. Le Roy (Clamart, France), E. Behar and P. Ungerer (Rueil Malmaison, France) 63–82

The solubility of paclitaxel in supercritical CO_2 and N_2O
V. Vandana and A.S. Teja (Atlanta, GA, USA) 83–87

The critical properties of alkanoic acids using a low residence time flow method
D.J. Rosenthal, M.T. Gude, A.S. Teja and J. Mendez–Santiago (Atlanta, GA, USA) 89–95

Isobaric vapor–liquid equilibria of the methanol, methyl acetate and methyl acrylate system at atmospheric pressure
C.-H. Tu, Y.-S. Wu and T.-L. Liu (Taichung, Taiwan) 97–108

Chemical equilibrium of hydrogen and aqueous solutions of 1:1 bicarbonate and formate salts with a common cation
D.C. Engel, G.F. Versteeg and W.P.M. Van Swaaij (Enschede, Netherlands) 109–136

Solubility of methyl fluoride in some alcohols
C.S.O. Silva, I.M.A. Fonseca and L.Q. Lobo (Coimbra, Portugal) 137–144

Announcement 145–148

Vol. 135, No. 2

Role of azeotropy in characterization of complex hydrocarbon mixtures by true-boiling-point distillation
D. Glindemann, T. Maskow, D. Browarzik, H. Kehlen and J. Kutscha (Merseburg, Germany) 149–167

Comments on the problematic nature of the calculation of solid–liquid equilibrium
A. Marcilla, J.A. Conesa and M.M. Olaya (Alicante, Spain) 169–178

Prediction of the excess volume and isobaric thermal expansion for 1-alkanol + *n*-alkane systems in terms of an association model with a Flory contribution term
A.J. Treszczanowicz and T. Treszczanowicz (Warszawa, Poland) 179–192

Vapour–liquid equilibria for dipolar two-centre Lennard-Jones fluids by Gibbs–Duhem integration
M. Lísal, R. Budinský and V. Vacek (Prague, Czech Republic) 193–207

Phase equilibrium calculations using a modified form of the complete local concentration model
I. Nagata and K. Tamura (Ishikawa, Japan) 209–226

Association model of fluids. Simultaneous representation of excess Gibbs energies and excess enthalpies for liquid mixtures with alkanols
I. Nagata, K. Tamura, N. Kishi and K. Tada (Kanazawa, Japan) 227–247
Thermodynamics of liquid propane + cyclopropane
J.C.G. Calado, E.J.M. Filipe and J.N.C. Lopes (Lisboa, Portugal) 249–257
Solubilities of isobutane in methanol + benzene, methanol + cyclohexane and benzene + cyclohexane mixed solvent solutions at 298 K and 40–102 kPa
Y. Miyano and W. Hayduk (Kurashiki, Japan, Ottawa, Canada) 259–268
Counterion effect of amino acids in reverse micelles
H.R. Rabie and J.H. Vera (Montreal, Canada) 269–278
A new three-parameter viscosity–temperature equation for saturated liquids from the triple point to the critical point
H.W. Xiang, Y.Y. Duan and M.S. Zhu (Beijing, P.R. China) 279–286

Subject Index 287–288

Author Index 289

Contents of Volume 135 (1997) 291–292